Amendments to the Claims


Please amend Claims 4 and 32. The Claim Listing below will replace all prior versions of the claims in the application:

Claim Listing

- 1. (Original) A method of treating mucositis in a mammal comprising administering to said mammal an effective amount of an ionene polymer.
- 2. (Original) A method of treating mucositis in a mammal comprising administering to said mammal an effective amount of an ionene polymer characterized by a repeat unit having the formula:

$$Q \longrightarrow R_1$$

wherein R_1 is a substituted or unsubstituted hydrocarbyl group; and each Q is independently:




$$\begin{array}{c|c} & R_2 & X^{-} \\ & & \\ \hline P & \\ & \\ R_3 & \end{array}$$

$$---$$
Cy₁ $---$ A $---$ Cy₂ $---$, or

wherein Cy_1 and Cy_2 are each independently a quaternary nitrogen-containing monocyclic heteroaromatic ring or non-aromatic heterocyclic ring, A is a covalent bond, or a substituted or unsubstituted lower alkylene group, and R_2 and R_3 are independently a substituted or unsubstituted aliphatic or aromatic group; each X^- , separately or taken together with other X^- s, is a physiologically acceptable anion; x is an integer from 0-4; and y is an integer from 1-5.

- 3. (Original) The method of Claim 2, wherein said ionene polymer is administered therapeutically.
- 4. (Currently Amended) The method of Claim 2, wherein said ionene polymer is administered prophylactically to inhibit the onset of musositis.
- 5. (Original) The method of Claim 2, wherein R_1 is a substituted or unsubstituted arylene or lower alkylene group.
- 6. (Original) The method of Claim 2, wherein said mucositis is oral mucositis.
- 7. (Original) The method of Claim 6, wherein said oral mucositis is a side effect of anticancer therapy.
- 8. (Original) The method of Claim 7, wherein said anti-cancer therapy is chemotherapy or radiation therapy.
- 9. (Withdrawn) The method of Claim 6, wherein said oral mucositis is a side effect of bone marrow transplantation or stem cell transplant or ablation.
- 10. (Original) The method of Claim 6, wherein each R₂ and R₃ are each independently an alkyl group or a hydroxyalkyl group.
- 11. (Withdrawn) The method of Claim 6, wherein said repeat unit has the formula:



- 12. (Withdrawn) The method of Claim 11, wherein R₁ is a substituted or unsubstituted straight chained lower alkylene group or polyalkylene glycol optionally substituted with one or more –OH groups.
- 13. (Withdrawn) The method of Claim 6, wherein said repeat unit has the formula:

$$R_4$$

wherein R₄ is hydrogen or a substituted or unsubstituted lower alkyl group.

- 14. (Withdrawn) The method of Claim 13, wherein R₄ is a lower alkyl or hydroxy substituted lower alkyl.
- 15. (Withdrawn) The method of Claim 6, wherein said repeat unit has the formula:

$$\begin{array}{c|c}
X^{-} & X^{-} \\
\oplus & & \\
R_{5} & & \\
\end{array}$$

wherein A is a bond or substituted or unsubstituted lower alkylene group, and wherein R_5 and R_6 are each independently hydrogen or a substituted or unsubstituted lower alkyl group.

- 16. (Withdrawn) The method of Claim 15, wherein R₅ and R₆ are each independently an alkyl group or a hydroxyalkyl group.
- 17. (Withdrawn) The method of Claim 16, wherein A is an unsubstituted straight chained lower alkylene group.
- 18. (Withdrawn) The method of Claim 17, wherein R₁ is a substituted or unsubstituted straight chained lower alkylene group or polyalkylene glycol optionally substituted with one or more –OH groups.
- 19. (Withdrawn) The method of Claim 18, wherein R₁ is an unsubstituted polyalkylene glycol or
 - -CH₂CHOH(CH₂)_nCHOHCH₂- wherein n is an integer from 0 to 8.
- 20. (Original) The method of Claim 6, wherein said repeat unit has the formula:

$$\begin{array}{c|c} X^{r} & X^{r} \\ \oplus & \end{array}$$

wherein A is a bond or substituted or unsubstituted lower alkylene group.

- 21. (Original) The method of Claim 20, wherein A is an unsubstituted straight chained lower alkylene group.
- 22. (Original) The method of Claim 21, wherein R₁ is a substituted or unsubstituted straight chained lower alkylene group or polyalkylene glycol optionally substituted with one or more –OH groups.

- 23. (Original) The method of Claim 22, wherein R₁ is an unsubstituted polyalkylene glycol or -CH₂CHOH(CH₂)_nCHOHCH₂- wherein n is an integer from 0 to 8.
- 24. (Original) The method of Claim 23, wherein said repeat unit has the formula:

$$\begin{array}{c|c} X^{-} & & & \\ \oplus & & & \\ \hline \end{array}$$

25. (Withdrawn) A method of treating mucositis in a mammal, comprising administering to said mammal an effective amount of an ionene copolymer characterized by a repeat unit of the formula:

$$\begin{array}{c|c}
 & R_2 & X \\
 & \oplus & R_1
\end{array}$$

$$\begin{array}{c|c}
 & R_3 & & \\
\end{array}$$

and a repeat unit of the formula:

$$\begin{bmatrix}
R_2 & X^{-} \\
\oplus & R_1
\end{bmatrix}$$

$$R_3$$

wherein R_1 is a substituted or unsubstituted hydrocarbyl group; R_2 and R_3 are independently a substituted or unsubstituted aliphatic or aromatic group; and each X^- in the polymer or copolymer, separately or taken together with other X^- s, is a physiologically acceptable anion.

- 26. (Withdrawn) The method of Claim 25, wherein said mucositis is oral mucositis.
- 27. (Withdrawn) The method of Claim 26, wherein said oral mucositis is a side-effect of anticancer therapy.
- 28. (Withdrawn) The method of Claim 27, wherein the anti-cancer therapy is chemotherapy or radiation therapy.
- 29. (Withdrawn) The method of Claim 25, wherein said polymer or copolymer is comprised of repeat units of the formula:

$$\begin{array}{c|c} X & X \\ & & \\ & & \\ \end{array}$$

wherein R_{10} is a substituted or unsubstituted lower alkylene group having from about 4 to about 12 carbon atoms and each X^{-} , separately or taken together with other X^{-} s is a physiologically acceptable anion.

30. (Withdrawn) The method of Claim 6, wherein said polymer is characterized by repeat units of the formula:

$$\left\{ \begin{array}{c|c}
H & H & H \\
N & N & N
\end{array} \right\}_{X} R_{1}$$

31. (Withdrawn) The method of Claim 30, wherein said copolymer is characterized by the formula:

32. (Withdrawn-currently amended) The method of Claim 30, wherein one or both [[end]] ends of the polymer or copolymer is capped with a group represented by the formula:

wherein R_{11} is a C2-C90 alkyl, C2-C90 oxyalkyl, or aromatic group and the symbol "*" represents the bond connecting the cap to the polymer or copolymer.